
USER MANUAL

Thank you for choosing Better Bathrooms.
Please read this manual before installing your product and keep for future reference.

better bathrooms

Smooth Grab Rail 350x77mm
Smooth Grab Rail 450x77mm
Smooth Grab Rail 600x77mm
Smooth Grab Rail 700x77mm
Knurled and smooth Grab Rail 800x77mm



ARIMB350GR	ARIBB350GR	ARIGM350GR	ARIBR350GR
ARIMB450GR	ARIBB450GR	ARIGM450GR	ARIBR450GR
ARIMB600GR	ARIBB600GR	ARIGM600GR	ARIBR600GR
ARIMB700GR	ARIBB700GR	ARIGM700GR	ARIBR700GR
ARIMB800GR	ARIBB800GR	ARIGM800GR	ARIBR800GR
ARIKBB350GR	ARIKBB450GR	ARIKBB600GR	ARIKBB700GR
ARIKBB800GR			

- WALL MOUNTED ACCESSORIES
- STAINLESS STEEL 304

20250905

CONGRATULATIONS ON YOUR PURCHASE

Our aim at Better Bathrooms is to bring you extraordinary bathroom products, for less.

If you're after a modern, traditional, or a totally unique style bathroom, we have the fittings and fixtures to bring your ideas to life, so you can fall in love with your space every day.


We hope you're happy with your new product. But if you experience any problems, we're always here to help.

- Call our friendly UK call centre on **0330 390 3062**
  (Lines open 9am-4.30pm Monday to Friday, or 9am-2pm Saturday).
- Send us a message via **betterbathrooms.com.**


CONTENTS

PARTS SUPPLIED	3
TOOLS REQUIRED	3
INSTALLATION	4
CLEANING AND MAINTENANCE	5


PARTS SUPPLIED

	
SCREWS (6)	WALL PLUGS (6)


TOOLS REQUIRED




TAPE MEASURE




SPIRIT LEVEL




ELECTRIC DRILL




FLAT HEAD SCREWDRIVER



HAMMER



8mm DRILL BIT



PENCIL

INSTALLATION


Always check for hidden pipes or cables before drilling to avoid damage.

The fixing plate (attached to the grab rail) must be secured into a suitable structure that is strong enough to support the product and load.

The included screws and wall plugs are designed for solid wall structures such as brick and concrete, for any other wall type use a suitable fitting.


Remove Decorative Covers from Fixing Plates

The fixing plates are covered by decorative covers. Gently pull or pry off the covers (they are typically clip-on) to expose the fixing screw holes on the lates.




Select Installation Position & Mark Drill Holes

Choose the desired location for the grab rail. Hold the fixing plates (attached to the grab rail) against the wall. Then, use the fixing plates as a guide to mark the drill-hole positions on the wall.




Drill Holes

Use a suitable drill bit to create holes at the marked positions. If installing on a masonry wall, ensure you have appropriate screws and wall plugs




Insert Wall Plugs

Place wall plugs into the drilled holes.



Secure the Grab Rail

Align the fixing plates with the wall plugs. Insert screws into the plugs and tighten them fully. Make sure the grab rail is installed firmly and securely.



Reattach Decorative Covers

Align the decorative covers with the fixing plates and gently press them into place until they clip securely, covering the screws and plates.

CLEANING AND MAINTENANCE

Never use products containing bleach or abrasive cleaners, as this will harm the product's appearance and lifespan.

Use a clean microfibre cloth to clean the handrail.

For more information

- visit betterbathrooms.com
- email support@betterbathrooms.co.uk
- call 0330 390 3062
- write to Trident Business Park, Neptune Way, Huddersfield, HD2 1UA

better bathrooms

Part of the BuyItDirect Group