

USER MANUAL




Thank you for choosing Better Bathrooms.
Please read this manual before installing your product
and keep for future reference.

**better
bathrooms**

**Matt Black Modern Feet Suitable for Clara Bath - Clara
CLARALEGSMB**

**Brushed Brass Modern Feet Suitable for Clara Bath - Clara
CLARALEGSBB**



CENTRAL IMAGE HERE FOR REFERENCE ONLY

Congratulations on your purchase

And welcome to our growing gang of savvy shoppers

We're on a mission to bring you extraordinary bathroom products, for less. From modern to traditional style ceramics, plus the gorgeous fixtures, fittings and furniture to match. So, you can fall in love with your space every single day.

As one of the UK's largest independent bathroom stores, we've received countless awards; including the National Business Awards UK, the Digital Entrepreneur Awards and being placed on The Sunday Times Fast Track 100.






We hope your new product goes above and beyond your expectations. However, should any problems occur, please:

- log in to your account and contact our customer services team via your self-serve portal – betterbathrooms.com/CustomerAccount/Login
- contact us via betterbathrooms.com/content/contact-us

Important information

- Please read these instructions thoroughly and retain for future reference
- Upon receiving the product, please check if all accessories are complete. If there is any problem, please contact us.


Parts

Parts No.	Name	Qty(pcs)	Image
A	Foot-A with long bracket (to be placed close to the overflow)	2	
B	Foot-B with short bracket	2	
C	Adjustable Foot	6	
D	Nut	14	
E	Washer	8	

Tools required (Tools not provided)



Wrench



Spirit Level

Warning: Please use a soft cloth to protect the tool or cover the surface to prevent any scratches.

Installation Steps

Step 1

Lay the bath on a soft place to protect it from scratches, and screw off the six adjustable legs (You may keep these feet for future use). See Figure 1, and 2




Figure 1




Figure 2

Step 2

As shown in the figure 3&4, place and install Feet-A and Feet-B around the bottom of the bath, but do not tighten the nuts at this stage. Note that Feet-A (with long bracket) need to be installed on the side close to the overflow. The two middle feet can be directly installed with adjusting feet (Parts C).




Figure 3




Figure 4

Step 3

Adjust the legs Part C, so that feet A and B are 1-2mm above floor level, as the feet A and B do not take the bath load, these are purely visual. Check the adjustable legs (Parts C) by using a level and tighten the nuts connecting the legs and the bath. See Figure 5

Step 4

Adjust the metal brackets to a proper angle to make sure they fit well on the bath and then fasten the nuts. Double check to make sure the adjustable legs are sitting flat, when you place the bath in the desired location. Adjust the legs (Parts C) if needed. See Figure 4, and 6




Figure 5




Figure 6

Maintenance & Cleaning

1. Gently wipe the surface with a soft, dry cloth to remove dust and dirt. Avoid using rough materials (e.g., scouring pads) to prevent scratching.
2. For stains, wipe the affected area gently with a cloth dampened in warm water, then dry thoroughly with a clean cloth.
3. Do not use acidic or alkaline cleaners (e.g., bleach, vinegar), as they may damage the paint coating.
4. After each use, promptly wipe off water stains with a clean cloth to prevent rusting.

For more information

- visit betterbathrooms.com
- email customerservices@buyitdirect.co.uk
- call 0330 390 3062
- write to Trident Business Park, Neptune Way, Huddersfield, HD2 1UA

**better
bathrooms**

Part of the BuyItDirect Group