USER MANUAL





Thank you for choosing Better Bathrooms. Please read this manual before installing your product and keep for future reference.



Product name: COMO WALL HUNG DRAWER UNIT WITH ALUMINIUM INSET BASIN

Product codes: / COMOB700/COMOB1200/COMOBL700





- Multi-person assembly
- Tools required
- We always recommend using professional tradespeople to install your product

V1_2025.04.09

Congratulations on your purchase

And welcome to our growing gang of savvy shoppers

We're on a mission to bring you extraordinary bathroom products, for less. From modern to traditional style ceramics, plus the gorgeous fixtures, fittings and furniture to match. So, you can fall in love with your space every single day.

As one of the UK's largest independent bathroom stores, we've received countless awards; including the National Business Awards UK, the Digital Entrepreneur Awards and being placed on The Sunday Times Fast Track 100.

We hope your new product goes above and beyond your expectations. However, should any problems occur, please:

- log in to your account and contact our customer services team via your self-serve portal – <u>betterbathrooms.com/CustomerAccount/Login</u>
- contact us via betterbathrooms.com/content/contact-us

Important information

- Please read these instructions thoroughly and retain for future reference
- Always check for pipes and cables before drilling
- Wipe the product clean and dry regularly, especially when the product is subject to steam or splashes.


Contents

Product	Description	Qty	Description	Qty	Description	Qty	Description	Qty
COMOB700	Wall Bracket	2	Wall Plug	6	Wall Screw	6	Waste	1
COMOB1200	Wall Bracket	2	Wall Plug	6	Wall Screw	6	Waste	1
COMOBL700	Wall Bracket	2	Wall Plug	6	Wall Screw	6	Waste	1


Maximum loading

- Please noted the maximum loading for unit is 100kgs(Including top/basin weight).
- Please noted the maximum loading for each drawer is 20kgs.

Parts / Diagrams



Tools required



Spirit Level








Electric drill

Drill bit (Φ8)

Tape measure (3m~5m)







Silicone

Pencil

Screwdriver

Cabinet installation:

The room in which the unit is being installed, must be well ventilated.


Please check for pipes and cables prior to drilling, after the position of the brackets is marked, drill the holes in the wall, using an 8mm drill bit(not supplied), to a depth of approx 50mm.

Insert the wall plugs and tap flush with the wall surface and secure the wall brackets into place.

Check the brackets fitted to the unit are fully tightened.

Wall Hung Unit Installation:

Units must be secured to the wall




Basin and Waste installation:

Please note for a basin installation, the tap hole has been drilled. Before installing the basin, confirm your selected basin will fit the cabinet. If you need to match a tap, please use a tap according to drilled tap hole and the drilled edge must be sealed.


After the basin hole and tap hole are confirmed, the basin can be fitted to the unit, by applying a bead of silicone between the unit and basin to provide a seal and fixing for basin to the unit.

Also run a bead of silicone along the back edge of the base where it meets the wall.

After silicone has been applied, this must be left for 24 hours to dry.




Silicone can be used to seal the waste



Troubleshooting:

DRAWER REMOVAL & INSTALLATION



Maintenance and Cleaning

Wipe the product clean and dry regularly, especially when the product is subject to steam or splashes.

Do not use harsh chemicals or materials on the product, as this will damage the product and invalidate your guarantee.

To clean and maintain the product, wipe using a clean damp cloth and wipe dry with a soft cloth.



- visit betterbathrooms.com
- email customerservices@buyitdirect.co.uk
- SOU 0220 200 200