

USER MANUAL




Thank you for choosing Better Bathrooms.
Please read this manual before installing your product
and keep for future reference.

**better
bathrooms**

Product name: Brushed Brass Traditional 207mm Shower Head & Wall Arm - Lyla

Product code/s : LYBBSHWA



- **Single-person assembly**
- **Tools required**
- **We always recommend using professional tradespeople to install your product**

V1_10.06.2025

Congratulations on your purchase

And welcome to our growing gang of savvy shoppers

We're on a mission to bring you extraordinary bathroom products, for less. From modern to traditional style ceramics, plus the gorgeous fixtures, fittings and furniture to match. So, you can fall in love with your space every single day.

As one of the UK's largest independent bathroom stores, we've received countless awards; including the National Business Awards UK, the Digital Entrepreneur Awards and being placed on The Sunday Times Fast Track 100.

We hope your new product goes above and beyond your expectations. However, should any problems occur, please:



- log in to your account and contact our customer services team via your self-serve portal – betterbathrooms.com/CustomerAccount/Login
- contact us via betterbathrooms.com/content/contact-us

Important information


- Please read these instructions thoroughly and retain for future reference
- Pressures should meet minimum stated on the website
- Pressures must be balanced for optimum performance
- Always check for pipes and cables before drilling

Contents

1. Back plate
2. Wall shower arm
3. Rubber washer
4. Shower head



Parts / Diagrams




Tools required

Installation requires a screwdriver, an adjustable wrench and adjustable pliers, silicone ,PTFE tape.




Installation


1. Apply the teflon tape to the thread of the shower arm. Twist it clockwise on and hand tighten into the wall. (Wall fitting not included)




2. Push back plate to the wall surface. Use the silicone to seal the back plate.



3. Inspect and check if the rubber washer is fitted in the ball-joint of shower head.



4. Screw the shower head with shower arm by rotating the shower head and ensure it is fully tightened.



Maintenance

Check for Clogs

Remove and inspect nozzle holes—use a pin or toothpick to clear blockages.

Cleaning

Clean the product surface with a soft cloth and a mild detergent or citric acid solution. The use of any rough materials, as well as corrosive or abrasive cleaning agents, is not recommended as they may cause damage to the coating.

For more information

- visit betterbathrooms.com
- email customerservices@buyitdirect.co.uk
- call 0330 390 3062
- write to Trident Business Park, Neptune Way, Huddersfield, HD2 1UA

**better
bathrooms**

Part of the BuyItDirect Group