USER MANUAL



Thank you for choosing Better Bathrooms.

Please read this manual before installing your product and keep for future reference.



Product name: Round Shelf Shower 3 Outlet - Mika

Product code/s:

MIKARCH - Chrome Round Shelf Shower 3 Outlet - Mika

MIKARMB -Matt Black Round Shelf Shower 3 Outlet - Mika

MIKARBB - Brushed Brass Round Shelf Shower 3 Outlet - Mika



- Single-person assembly
- Tools required
- We always recommend using professional tradespeople to install your product

V1_09.06.2025

Congratulations on your purchase

And welcome to our growing gang of savvy shoppers

We're on a mission to bring you extraordinary bathroom products, for less. From modern to traditional style ceramics, plus the gorgeous fixtures, fittings and furniture to match. So, you can fall in love with your space every single day.

As one of the UK's largest independent bathroom stores, we've received countless awards; including the National Business Awards UK, the Digital Entrepreneur Awards and being placed on The Sunday Times Fast Track 100.

We hope your new product goes above and beyond your expectations. However, should any problems occur, please:


- log in to your account and contact our customer services team via your self-serve portal – <u>betterbathrooms.com/CustomerAccount/Login</u>
- contact us via <u>betterbathrooms.com/content/contact-us</u>

Important information

- Please read these instructions thoroughly and retain for future reference
- Pressures should meet minimum stated on the website
- Pressures must be balanced for optimum performance
- Always check for pipes and cables before drilling


Contents

- 1.Telescopic tube
- 2.Top shower
- 3. Wall Bracket (allen screw, wall plug and wall screw included)
- 4. Hand shower
- 5. Hand shower holder
- 6.Shower hose
- 7. Thermostatic shelf bath-shower mixer
- 8. Connection couplings (Check valve and mesh washer included)
- 9. Rubber washers
- 10. Spare parts (Allen key and screw for shower mixer)
- 11.Spirit level



Screws and plugs supplied are for masonry only, for any other structure a suitable plug and screw must be used.


Parts / Diagrams



Tools required


- Spanner □
- Hammer □
- Drill and bit □
- PTFE seal tape □
- Screw driver

Installation




Step 1


Apply tape to connection couplings and screw into wall fittings (Not supplied). Adjust the couplings to level position using the provided spirit level.




Lossen the allen keys from the shower mixer, install the shower mixer onto the conection couplings and tightern screws.




Step 3
Install the riser in the shower mixer .Turn left to tighten up.




Step 4 Install the wall bracket on the shower arm.



Step 5Make sure the riser is level, mark the position of the screw holes.




Step 6 Remove teh riser and the wall bracket.



Step 7

Confirm the position of the wall bracket, drill a hole in the wall for the wall bracket.

Use the allen screw to fix the wall bracket onto the wall.




Step 8

Install the slider rail on the valve body. Adjust shower rail to appropriate height, tighten the lever on the rail once located in required position.



Step 9

Install the shower rain head.




Step 10

Place the hose washer in the short hose end connection Connect this end of the hose to the faucet. Place the screen washer in the long hose end connection. Install the handshower on this end of the hose. Rest the handshower in the holder.

Operation

- Push the individual button to activate the shower head or hand shower.
- Rotate the bath spout forward to activate water flow, and backward to shut off.



• The right circular handle maintains temperature, while the left circular handle regulates water flow.

Troubleshooting

Description	Cause	Solution
1.Insufficient water of the shower head and hand shower	1a.Debris or limescale build up or blockage in supply	Remove and clean, rubbing the nozzles with a soft brush
		2. Check all pipes and inlet for blockages
2.Temperature regulation failure	2a.Pressures not balanced and cold overriding hot	2a.Increase hot water pressure or reduce cold, but maintain minimum pressure for mixer
	2b.Hot and cold supplies are reversed	2b.Change connections
	2c.Thermostatic cartridge clogged	2c. Remove the thermostatic cartridge, soak it in vinegar for a few hours and then rinse it with clean water and reseat in shower valve
3.Dripping continually after closure	3a.Debris in the shower valve	3a.Remove the divertor cartridge from housing ,wash throughly with clean water and reseat in shower valve
4.Mixer shuts down during showering	4a.Safety shut off, cold water failure	4a.Check cold water supply is on and not blocked

Maintenance


Replace the thermostatic cartridge

Please turn off the water supply and turn the mixer on ,to allow water to drain from the mixer body before replacement.

Loose the grub screw by Allen key and then take out the handle (B).

Remove the positioning ring (C), loose the grub screw (A) and take out the thermostatic cartridge (D). Clean the cartridge or replace it with anew one.

Install the thermostatic cartridge by reverse steps. Take note the red marking on the thermostatic cartridge, should keep align with the marking on positioning ring, and positioning rod in the handle.




Replace the diverter cartridge

Take out the button cover (E) by hand ,loosen the screw (F) by screwdriver and remove the plastic plate(G).

Gently remove the cartridge retainer (H) by circlip plier and use the Allen Socket Wrench to disassemble the diverter cartridge (I).

Clean the cartridge or replace it with a new one. Install the diverter cartridge by reverse steps.



Cleaning

Clean the product surface with a soft cloth and a mild detergent or citric acid solution.
 The use of any rough materials, as well as corrosive or abrasive cleaning agents, is not recommended as they may cause damage to the coating.

For more information

- visit betterbathrooms.com
- email customerservices@buyitdirect.co.uk
- call 0330 390 3062
- write to Trident Business Park, Neptune Way, Huddersfield, HD2 1UA

